

MAXUS eDeliver 3

Engineered for modern delivery fleets



LAST-MILE DELIVERY LAST-WILL MEETS GREEN MOBILITY

The eDeliver 3 is the first ground-up, all-electric panel van in South Africa, ideal for more efficient urban logistics.

The eDeliver 3 is the perfect vehicle for efficient fleet operations and smooth driver experience. Both light and ergonomic, this all-electric workhorse boasts great efficiency and a generous payload.

The eDeliver3 is constructed using premium aluminium alloys and polymer composites, creating a rugged body with emphasis on strength and internal volume.

BUILT FOR URBAN DELIVERY



4.8m³ CARGO VOLUME



945kg **MAXIMUM** PAYLOAD



1090kg **TOWING** CAPACITY

(BRAKED TRAILER)

WLTP CITY RANGE WLTP COMBINED RANGE

250-280km OFM STATED **RANGE**



R0.45/km AVERAGE **OPERATIONAL**

COST





ELECTRIFYING PERFORMANCE

300 km

250 km



Motor Specs



Battery Specs

Rated/Peak Power

40kW/90kW

Battery

Energy

Consumption

Ternary Polymer

Lithium

Rated/Peak Torque

125N.m/255 N.m

Battery Capacity

50.23kWh

0-100km/h

17s

Battery Warranty

8 years / 160 000 km

22.4 kWh/100km

(WLTP combined)

Charge Time

5% - 80% DC

45 Minutes

5% - 100% AC

8 hrs



STANDARD EQUIPMENT



Comfort and Convenience:

- Air Conditioning
- Automatic On/Off Headlights
- · Bluetooth and Carkit
- Cruise Control
- Daytime Running Lights
- Electric Adjustment Of Outside Mirror
- Electric Power Assisted Steering
- Electric Windows
- Heated Seats
- Height Adjustable Steering wheel
- · Leather Steering wheel
- Multifunction Steering Wheel
- Rake Adjustable Steering Wheel
- · Reversing Camera
- Rear Parking Sensors
- Touch Screen 7 inch



Safety:

- Driver Airbag
- Driver Seatbelt Lock Reminder
- ESC Electronic Stability Control
- Front & Rear Ventilated Discs
- Front Passenger Airbag
- Handbrake
- Immobiliser



VISIT OUR WEBSITE



STANDARD EQUIPMENT

continued



Suspension:

- Front McPherson Independent Suspension
- Rear Leaf Spring Suspension



Cargo Area:

- 4 Cargo Area Floor Strapping Rings
- Stainless Steel Cargo Area Floor

*Standard specifications may vary from the list above, depending on the vehicle model.



Images shown in this brochure are for illustration purposes only. Actual vehicles may differ and are subject to change. Specifications, standard equipment, options, fabrics and colours are subject to change without notice. Some features may be unavailable when your vehicle is built. Some vehicles are pictured with options that may be available at extra cost or may not be available on certain models. Ask about availability of options and verify that the vehicle you ordered includes the equipment you ordered.

VISIT OUR WEBSITE





	MAXUS eDELIVER 3	
WEIGHTS	GVM (kg)	2525
	Kerb Weight (excluding driver) (kg)	1425
	Max front axle load (kg)	1170
	Max rear axle load (kg)	1460
	Payload (kg)	945
	Max roof load (kg)	75
	Towing capacity (unbraked) (kg)	750
	Towing capacity (braked) (kg)	1090
ENGINE	Drive type	RHD
	Number of seats	2
	Rated power/peak power (kW)	40/90
	Rated torque/Max. torque (N.m)	125/255
	Max speed (km/h)	120
	Acceleration 0-100km/h (sec)	12
GEAR RATIOS	Forward	9.348
	Reverse	9.348
DIMENSIONS	Dimension : L *W *H (mm)	4555 X 1780 X 1895
	Wheel base (mm)	2910
	Length cargo space (mm)	2180
	Max width cargo space (mm)	1665
	Max width cargo space between wheel arches (mm)	1220
	Max height cargo space (mm)	1330
	Max body height (mm)	1895
	Slide door width (mm)	710
	Slide door height (mm)	1230
	Turning radius (m)	5.87
	Cargo volume (m³)	4.8
CHARGING	Charging time(AC 100%) h	8
	Charging time (DC 80%) min	45
	Battery capacity (kWh)	50.23
	Energy consumption WLTP combined (kWh/100km)	22.4
RANGE	WLTP City Range	344 km
	WLTP Combined Range	243 km

VISIT OUR WEBSITE

